



DESIGN SPECIFICATIONS

Supply only or Supply and Fit

'International' toilet cubicle ; 'Kontor' toilet cubicle ; IPS system ; Post formed vanity unit ; Solid surfacing (Corian) vanity unit ; clinical boxed out unit ; kitchen unit ; accessibility note

'INTERNATIONAL' TOILET CUBICLE

DOOR *30-44mm thickness* Formica Laminate
28-42mm chipboard core

DIVIDER *20mm thickness* Formica Laminate
18mm chipboard core

PILASTER *30-44mm thickness* Formica Laminate
28-42mm chipboard core
Rebated doors with pilasters.
All vertical edges to have hardwood lipping.

CUBICLE HARDWARE

Hinges Large ST/STEEL Sprung Hinge
Head rail & pilaster matching to provide
ridged structure allowing for increased
door widths

Legs Multirol Plus Leg Pack

Locks ST/STEEL Thumb Turn Indicator Bolt

'KONTOR' TOILET CUBICLE

DOOR *20mm thickness* Formica Laminate
18mm chipboard core

DIVIDER *20mm thickness* Formica Laminate
18mm chipboard core

PILASTER *30mm thickness* Formica Laminate
28mm chipboard core

CUBICLE HARDWARE

Pilaster thumb turn indicator bolt
Standard left etched & anodised
Coat hook No. 534
Dome shaped headrail powder coated black

IPS SYSTEM

PANEL	<i>20mm thickness</i>	Formica Laminate 18mm core MR MDF MB white Formica balancer
SHADOW PANEL	<i>20mm thickness</i>	Formica Laminate 18mm core MR MDF MB white Formica balancer
FRAMEWORK	<i>70x40mm deal</i>	All panels fixed with hook on/off panel Clip and lift for access
SANITARY WARE		WC Rimless Back to wall WC 45 cm height RACCOMBTW455N Seat with SS Hinges for rimless pan RAKCOMBTWSEATSN Pneumatic Dual Flush Cistern SSIO OHXCPL61CP Caspia Chrome Dual Flush Plate OHXSYG612CP

POST FORMED VANITY UNIT

WORKTOP	<i>20mm thickness</i>	Formica Laminate 18mm MR MDF core board Fully covered 350mm deep having a 250mm Front apron, 250mm splash back with 100mm
ENCLOSURE PANELS	<i>20mm thickness</i>	The worktop is supported on gables forming Frame work for front panels. Front panels are Formica having post formed edges bonded to 18mm MR MDF core board, rear of the panels having balancing laminate.
SANITARY WARE		Tap Infa – Therm Safe Touch Thermostatic Mono Basin 140 Sink E100 Round 550 x 440 Semi Recessed TWY14661WH 1 25 Flush Grate Slotted Waste

SOLID SURFACING (CORIAN) VANITY UNIT

WORKTOP	<i>12mm thickness</i>	12mm thick Corian to be fully covered allowing for a 12 mm radouised front apron, this front apron has a seamless finish to provide clean curved finish with 150mm front apron.
ENCLOSURE PANELS	<i>20mm thickness</i>	Formica Laminate 18mm core MR MDF
FRAMEWORK		All panel section are fitted to sub frame using hidden fixings allowing lift off access to services behind. Subframe to be factory manufacture and all panel fixed to frame using fixing clips Flashgaps: Deal frame with high pressure laminate in selected colour fixed to framing.

CLINICAL BOXED OUT UNIT

PANEL	<i>20mm thickness</i>	Formica Laminate Formica Core Material 18mm MR MDF MB White Formica Balancer
FRAMEWORK	<i>70x40mm deal</i>	Front Face Formica All panels fixed with hook on/off panel Clips and are lift off for access
SANITARY WARE		Tap Reliance Caremix T3 100 006 TMV 3 approved. Sink Twyford's Sola Spectrum 500 WHB Back Outlet, No Over Flow, No Chainstay

KITCHEN UNITS

WORKTOP	<i>30mm thickness</i>	Formica Laminate worktops bonded to 28 mm core board core board and balanced finish
DOOR	<i>20mm thickness</i>	Formica Laminate bonded to 18 mm core board core board and balanced finish to inside of door
PRESS STORAGE	<i>20mm thickness</i>	Carcassing 18 mm Melamine white / white on MDF core board to floor, gables, shelves and t panels.
HARDWARE		Hinges -170 degree Blum with dowel in hinge plate Handles D handle 200 mm Shelf Supports / Studs

ACCESSIBILITY NOTE

ADDITIONAL STRENGTH TO BE PROVIDED FOR FLOD DOWN RAILS AND TIE BACK TO WALL STRUCTURE –
PANELS DO NOT HAVE SUFFICIENT STRENGTH TO SUPPORT AS THICKNESS IS 20 MM

DOC M WC	Twyfords Avalon Rimless Back to Wall Pan - TWYAV1968WH Twyfords Avalon BSIO Cistern for Rim Pan – TWYAV2668 WH Twyfords Avalon / Sola Seat Ring top fix – TWYAV7861WH
SINK	Twyfords Sola Medical 400 1 right hand tap hole – TWYSA4155WH Inta – Therm Safe Touch Thermostatic Mono Basin 140 Lever Flush Grate
RAILS	Medicomics Hinged Support Rail White – BG0800 Grab Bar 600 white – BR0600 Grab Bar 400 white – BR0400